

Go NAP SACC



Self-Assessment Instrument for Family Child Care

| | | Date: | |
|------------|------------------------|-------|--|
| Your Nam | e: | | |
| Child Care | Program Name: | | |
| | | | |
| (X) | Child Nutrition | | |
| | | | |

Go NAP SACC is based on a set of best practices that stem from the latest research and guidelines in the field. After completing this assessment, you will be able to see your program's strengths and areas for improvement, and use this information to plan healthy changes.

For this self-assessment, **child nutrition** topics include foods and beverages provided to children, as well as the environment and your daily practices during meal times. Unless otherwise noted, all questions in this section relate to your program's practices for both toddlers and preschool children.

Before you begin:

✓ Gather parent handbooks, menus, and other documents that state your policies and guidelines about child nutrition.

As you assess:

- ✓ Answer choices in parentheses () are for half-day programs. Full-day programs should use the answer choices without parentheses.
- ✓ Definitions of key words are marked by asterisks (*).
- ✓ Answer each question as best you can, thinking about your general practices. If none of the answer choices seem quite right, just pick the closest fit. If a question does not apply to your program, move to the next question.

Understanding your results:

✓ The answer choices in the right-hand column represent the best practice recommendations in this
area. To interpret your results, compare your responses to these best practice recommendations. This
will show you your strengths and the areas in which your program can improve.



| Fc | oods Provided |
|----|--|
| 1. | My program offers fruit:* 3 times per week or 4 times per week 1 time per day 2 times per day or less (Half-day: 2 times (Half-day: 3 times per week) |
| 2. | My program offers fruit that is fresh, frozen, or canned in juice (not in syrup): Rarely or never Sometimes Often Every time fruit is served |
| 3. | My program offers vegetables:* 2 times per week or 3-4 times per week 1 time per day 2 times per day or less (Half-day: 1 time (Half-day: 2-3 times per week) (Half-day: 4 times per more (Half-day: 1 time per week or less) per week) week) per day or more) * For this assessment, vegetables do not include french fries, tater tots, hash browns, or dried beans. |
| 4. | My program offers dark green, orange, red, or deep yellow vegetables:* □ 3 times per month or □ 1−2 times per week □ 3−4 times per week □ 1 time per day or more less * For this assessment, corn is not included as a deep yellow vegetable because it has more starch and fewer vitamins and minerals than other vegetables. |
| 5. | My program offers vegetables that are cooked or flavored with meat fat, margarine, or butter: ☐ Every time vegetables ☐ Often ☐ Sometimes ☐ Rarely or never are served |
| 6. | My program offers fried or pre-fried potatoes:* ☐ 3 times per week or ☐ 2 times per week ☐ 1 time per week ☐ Less than 1 time per week or never * Fried or pre-fried potatoes include french fries, tater tots, and hash browns that are pre-fried, sold frozen, and prepared in the oven. |
| 7. | My program offers fried or pre-fried meats or fish:* 3 times per week or 2 times per week 1 time per week Less than 1 time per week or never * Fried or pre-fried meats and fish include breaded and frozen chicken nuggets and fish sticks. |
| 8. | My program offers high-fat meats:* ☐ 3 times per week or ☐ 2 times per week ☐ 1 time per week ☐ Less than 1 time per week or never * High-fat meats include sausage, bacon, hot dogs, bologna, and ground beef that is less than 93% lean. |



| 9. | My program offers meats or meat alternatives that are lean or low fat:* |
|-----|---|
| | □ 3 times per month or □ 1−2 times per week □ 3−4 times per week □ Every time meats or meat alternatives are served |
| | * Lean or low-fat meats include skinless, baked or broiled chicken; baked or broiled fish; and ground beef or turkey that is at least 93% lean and cooked in a low-fat way. Low-fat meat alternatives include low-fat dairy foods; baked, poached, or boiled eggs; and dried beans. |
| 10 | My program offers high fiber whole grain feeds:* |
| 10. | My program offers high-fiber, whole grain foods:* ☐ 1 time per week or less ☐ 2-4 times per week ☐ 1 time per day (Half-day: 3 times per (Half-day: 1 time per month or less) |
| | High-fiber, whole grain foods include whole wheat bread, whole wheat crackers, oatmeal, brown rice, Cheerios, and whole grain pasta. |
| 11. | My program offers high-sugar, high-fat foods:* |
| | ☐ 1 time per day or more ☐ 3—4 times per week ☐ 1—2 times per week ☐ Less than 1 time per week or never |
| | * High-sugar, high-fat foods include cookies, cakes, doughnuts, muffins, ice cream, and pudding. |
| | |
| 12. | My program offers high-salt, high-fat snacks:* ☐ 1 time per day or more ☐ 3-4 times per week ☐ 1-2 times per week ☐ Less than 1 time per week or never |
| | * High-salt, high-fat snacks include chips, buttered popcorn, and Ritz crackers. |
| 13. | I give children sweet or salty snacks outside of meal and snack times: |
| | ☐ 1 time per day or more ☐ 3-4 times per week ☐ 1-2 times per week ☐ Less than 1 time per week or never |
| Вє | verages Provided |
| 14. | Drinking water is available: |
| | □ Only when children ask □ Only when children ask and during water breaks □ Only indoors, where it is always visible and breaks □ Only indoors, where it is always visible and where it is always visible and freely available* |
| | * Water that is "freely available" is always available to children but may or may not be self-serve. Water may be available from water bottles, pitchers, portable or stationary water coolers, or water fountains. |
| 15. | My program offers children a 4–6 oz. serving* of 100% fruit juice: 2 times per day or |
| | * A larger serving of juice counts as offering juice more than one time. |



| 16. | M | y program offers sugary di | rinks:* | | | | |
|-----|-----|-----------------------------|---|-------|-------------------------------|-----|-----------------------------------|
| | | 1 time per month or more | 1 time every few months | | 1–2 times per year | | Never |
| | | * Sugary drinks include k | Kool-Aid, fruit drinks, sweet te | a, sp | ports drinks, and soda. | | |
| 17. | | | d older,* my program offers n | | | | |
| | | Whole (Regular) | ☐ Reduced fat (2%) | | Low fat (1%) | | Fat free (Skim) |
| | | * This does not include t | hose children with milk allergi | ies. | | | |
| 18. | M | y program offers flavored | milk: | | | | |
| | | 1 time per day or more | ☐ 3–4 times per week | | 1–2 times per week | | Never |
| Fe | ed | ing Environment | | | | | |
| 19. | M | eals and snacks are served | I to preschool children in the | follo | owing way: | | |
| | | I serve children their | ☐ I portion out servings | | Children serve some | | Children* always |
| | | plates with set portions | to children at the table | | foods themselves, | | choose and serve most |
| | | of each food | | | while I plate or serve | | or all foods themselves |
| | | | | | other foods | | |
| | | * This refers to preschool | ol children who are developme | enta | lly ready to choose and ser | ve | foods themselves. |
| 20. | Те | levision or videos are on c | luring meal or snack times: | | | | |
| | | Always | □ Often | | Sometimes | | Never |
| 21. | l e | at and drink the same foo | ds and beverages as children | dur | ing meal and snack times: | | |
| | | Rarely or never | ☐ Sometimes | | Often | | Always |
| 22. | l e | at or drink unhealthy food | ds or beverages in front of chi | ldre | en: | | |
| | | Always | □ Often | | Sometimes | | Rarely or never |
| 23. | l e | nthusiastically role model | * eating healthy foods served | l at | meal and snack times: | | |
| | | Rarely or never | ☐ Sometimes | | Often | | Every meal and snack |
| | | | | | | | time |
| | | * Enthusiastic role mode | eling is when you eat healthy f | ood | s in front of children and sh | now | how much you enjoy |
| | | them. For example, yo | u might say, "Mmm, these pea | as ta | aste yummy!" | | |
| 24. | M | y program's collection of p | oosters, books, and other lear | nin | g materials* that promote | he | althy eating includes: |
| | | Few or no materials | ☐ Some materials with | | A variety of materials | | A large variety of |
| | | | limited variety | | | | materials with new |
| | | | | | | | items added or rotated seasonally |
| | | | | | 1 1 1 1 2 2 | | • |
| | | _ | t promote healthy eating can i | | | | |
| | | fruit. | its and vegetables, healthy pla | ay I(| oous, ituit of vegetable gar | uer | i ai eas, aiiu bowis oi |



| 23. | □ A large variety of materials with new items added or rotated seasonally * Learning materials th | ☐ A variety of mate | limited variety reating can include books or games | ☐ Few or no materials |
|-----|--|---|--|---|
| | or posters of unhealt | hy foods, unhealthy pl | lay foods, and bowls of candy. | |
| Fe | eding Practices | | | |
| 26. | I praise children for trying | new or less-preferred | foods: | |
| | ☐ Rarely or never | ☐ Sometimes | □ Often | ☐ Always |
| 27. | When children eat less tha | n half of a meal or sna | ack, I ask them if they are full befor | e removing their plates: |
| | ☐ Rarely or never | ☐ Sometimes | □ Often | ☐ Always |
| 28. | When children request sec | onds, I ask them if the | ey are still hungry before serving m | ore food: |
| | ☐ Rarely or never | ☐ Sometimes | □ Often | ☐ Always |
| 29. | I require that children sit a | t the table until they o | clean their plates: | |
| | Every meal and snack time | □ Often | ☐ Sometimes | ☐ Rarely or never |
| 30. | I use an authoritative feed | ing style:* | | |
| | ☐ Rarely or never | ☐ Sometimes | □ Often | Every meal and snack time |
| | allowing children to r | make their own food cl | nce between encouraging children hoices. A provider might encourage benefits, instead of using bribes or | a child to eat broccoli by |
| 31. | I use* children's preferred | foods to encourage th | nem to eat new or less-preferred fo | oods: |
| | Every meal and snack time | □ Often | ☐ Sometimes | ☐ Rarely or never |
| | This can include offer not finish his/her veg | - | ild finishes his/her vegetables, or ta | king away a treat if a child does |
| 32. | I use food to calm upset ch ☐ Every day | nildren or encourage a Often | ppropriate behavior: | ☐ Rarely or never |
| 33. | During meal and snack tim ☐ Rarely or never | es, I praise and give ha | ands-on help* to guide toddlers as ☐ Often | they learn to feed themselves: Always |
| | | help includes encouraş cups or other utensils. | ging finger-feeding, praising childre | n for feeding themselves, and |
| 34. | When toddlers are develop | omentally ready, I offe | er beverages in an open, child-sized | l cup: |
| | ☐ Rarely or never | ☐ Sometimes | □ Often | □ Always |



| 35. | During indoor and outdoor ☐ Rarely or never | r physically active playtime, I Sometimes | remind children to drink wa | ter: At least 1 time per play period |
|-----|---|--|---|---|
| M | enus & Variety | | | |
| 36. | The length of my program' 1 week or shorter * The length of the me | 's menu cycle* is: ☐ 2 weeks nu cycle is the length of time t | 3 weeks or longer without seasonal change that it takes for the menu to | 3 weeks or longer with seasonal changerepeat. |
| 37. | Weekly menus include a va | ariety of healthy foods: Sometimes | □ Often | □ Always |
| Ed | lucation & Professiona | al Development | | |
| 38. | I lead planned nutrition ed ☐ Rarely or never * Planned nutrition ed | lucation:* 1 time per month ucation can include circle time | ☐ 2−3 times per month elessons, story time, and coo | 1 time per week or moreking and gardening activities. |
| 39. | I talk with children information | ally about healthy eating: Sometimes | □ Often | Each time I see an opportunity |
| 40. | Never∗ Professional develop | velopment* on child nutrition Less than 1 time per year ment can include taking in-pe | ☐ 1 time per year | 2 times per year or more, including at least 1 in-person or online training, when available ntact hours or continuing |
| | education credits. It | can also include reading broch | ures, books, or online article | s from trusted organizations. |
| 41. | See list and mark response be Food and beverage re Serving sizes for child Importance of variety Creating a healthy m Using positive feedin Talking with families | ecommendations for children dren y in the child diet ealtime environment* g practices† about child nutrition | | |
| | videos are turned off + Positive feeding prac | 1–2 topics e environment, children can clean providers sit with children tices include praising children lates away or serving seconds, | en and enthusiastically role n for trying new foods, asking | nodel eating healthy foods. children about hunger/fullness |



| L | offer families information ☐ Never | Less than 1 time per year | ☐ 1 time per year | 2 times per year or more |
|-----|--|--|--------------------------------------|--|
| | | ffered through brochures, tip an be offered informally or du | | ewsletters, website, or bulletin Il sessions with families. |
| | See list and mark response be | ecommendations for children Iren y in the child diet ealtime environment g practices | s the following topics: | |
| [| None | ☐ 1−2 topics | ☐ 3−4 topics | ☐ 5−6 topics |
| Pol | icy | | | |
| | Foods provided to ch Beverages provided to Ch Creating a healthy m Using positive feeding | ildren co children ealtime environment g practices | | |
| | Planned and informa My participation in p Education for familie Guidelines for foods | offered during holidays and ce | ren hild nutrition elebrations | |
| [| Planned and informaMy participation in pEducation for familie | I nutrition education for child rofessional development on c s on child nutrition | ren hild nutrition | ☐ 6—9 topics |

